


## Product data sheet single-plate slotted shims



Solid slotted shims of the single-plate brand are U-shaped individual shims made of stainless steel. The shims are primarily used for vertical distance adjustment of motors, pumps, turbines, and generators in machine and system construction and maintenance.

Solid single-plates are manufactured from stainless steel 1.4301 (AISI 304) and available in various sizes. Their thicknesses range from very thin foil (0.05 mm) to 2-mm-thick sheet.

Shims of the single-plate brand are equipped with a tab that allows simple insertion and removal. All of their corners are rounded (outer radius = 6 mm/inner radius = 9 mm). Upon request, peel-plates are available with your logo imprinted on them.

Standard shims of the single-plate brand name are available as individual shims or in assorted assembly sets immediately from stock.

Item No.	Thickness (mm)	AxB (mm)	A1 (mm)	C (mm)
PP/SP10705/005	0,05	70 x 50	40	15
PP/SP10705/01	0,1			
PP/SP10705/03	0,3			
PP/SP10705/05	0,5			
PP/SP10705/08	0,8			
PP/SP10705/10	1,0			
PP/SP10705/20	2,0			
PP/SP10907/005	0,05	90 x 70	55	23
PP/SP10907/01	0,1			
PP/SP10907/03	0,3			
PP/SP10907/05	0,5			
PP/SP10907/08	0,8			
PP/SP10907/10	1,0			
PP/SP10907/20	2,0			
PP/SP11108/005	0,05	110 x 80	70	32
PP/SP11108/01	0,1			
PP/SP11108/03	0,3			
PP/SP11108/05	0,5			
PP/SP11108/08	0,8			
PP/SP11108/10	1,0			
PP/SP11108/20	2,0			
PP/SP11410/005	0,05	140 x 105	100	44
PP/SP11410/01	0,1			
PP/SP11410/03	0,3			
PP/SP11410/05	0,5			
PP/SP11410/08	0,8			
PP/SP11410/10	1,0			
PP/SP11410/20	2,0			

<b>Material</b>	stainless steel 1.4301 /1.4310
-----------------	--------------------------------

